



**greenlux**  
cost reduction LED lighting

# Tels 02 LED Street/Garden Light

Available in Multiple Wattage  
80% lumen maintenance at 50,000 hours

- PMMA diffuser creates high visual comfort
- Pole top installation
- Self-cleaning & weather proof
- 0-10V, Dali dimmable options
- Zigbee Smart City Management
- Replaceable LED, driver unit & control gear
- Microwave sensor & photocell sensor options
- Surge protection up to 20KA option
- IP66 & IK10 Rated
- Applications include streets, gardens, parks and residential areas etc.



## Specifications

<b>Colour Range</b>	2700 ~ 5700k
<b>Power Consumption</b>	25W ~ 62W
<b>Product Dimensions (mm)</b>	Ø400 * 94 (L*W*H)
<b>Lumen</b>	3000lm ~ 7500lm
<b>Input Voltage</b>	AC 100-277V
<b>Power Factor</b>	>0.92
<b>CRI</b>	>80 & >90
<b>Pole Diameter</b>	60mm (standard)
<b>Dimmer</b>	0-10V / Dali
<b>Housing Material</b>	Die-casting aluminum
<b>Housing Color</b>	Dark Brozen / Light Grey





The Nature of Light & Visual Comfort  
Elegant by day (Dayform) Brilliant at night (Nightform)







**greenlux**  
cost reduction LED lighting

# Tels 02 LED Street/Garden Light

## Dimensions



## Installation & Maintenance

- Suggested installation height 2.5m to 6.0m
- Easy installation & on-site maintenance
- AISI 304 stainless steel screws for optional external IP connector
- Standard 0.5m outlet input cable, customized cable length available
- Self-cleaning & weather proof body design

## Dimmable & Control

- 0-10V dimmable, range 10% ~100%
- Dali control gear 0% ~ 100%
- Integrated microwave sensor: on/off
- Integrated microwave sensor: standby
- Photocell sensor option
- Zigbee Smart City Management





**greenlux**  
cost reduction LED lighting

# Tels 02 LED Street/Garden Light

Model

MODEL	Beam Angle (°)	Wattage (W)	Voltage (V)	CRI	CCT (k)	Lumen	Pole Diameter (mm)	Size (mm) (LxWxD)	Surface Colour
GETEL-25W-02	80	25W	100/277	>80 >90	2700-5700	3000	40	Ø400*94	Dark Brozen Light Grey
GETEL-40W-02		40W				4800	50		
GETEL-62W-02		62W				7440	60		

